

**DEXTER**<sup>®</sup>  
COMMERCIAL HARDWARE

# Full line catalog

Locks, closers, and exits



# Contents

## **Cylindrical locks and deadbolts**

C1000 Series	4
C2000 Series	6
DB1000 Series	9
DB2000 Series	10

## **Surface door closers**

DCH1000 Series	12
DCM1000 Series	13
DCL2000 Series	14
DCR8000 Series	15

## **Exit devices**

ED1000 Series	18
ED2000 Series	20

# Cylindrical locks and deadbolts



# C1000 Series

## Grade 1 cylindrical lock



### Specifications

- Grade 1, UL listed 3 hour
- 1 3/8" to 2" door range standard
- All functions include 1 1/8" x 2 1/4" square-corner beveled latch with 2 3/4" backset and ANSI 1 1/4" x 4 7/8" curved lip strike
- Accommodate Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodates SFIC to accept 6-pin/7-pin
- Clutch function available (keyed functions)

### Locksets

Product description	Function	Trim	Finish	Cylinder	UPC #
C1000-PASS-R-626	Passage (F75)	Regular	626	N/A	043156534692
C1000-PASS-R-613	Passage (F75)	Regular	613	N/A	043156534708
C1000-PASS-C-626	Passage (F75)	Curved	626	N/A	043156534715
C1000-PASS-C-613	Passage (F75)	Curved	613	N/A	043156534722
C1000-PRIV-R-626	Privacy (F76)	Regular	626	N/A	043156534739
C1000-PRIV-R-613	Privacy (F76)	Regular	613	N/A	043156534746
C1000-PRIV-C-626	Privacy (F76)	Curved	626	N/A	043156534753
C1000-PRIV-C-613	Privacy (F76)	Curved	613	N/A	043156534760
C1000-ASYL-R-626-KDC	Asylum (F87)	Regular	626	6-pin, Schlage C, KD	043156534777
C1000-ASYL-C-626-KDC	Asylum (F87)	Curved	626	6-pin, Schlage C, KD	043156534784
C1000-ENTR-R-626-KDC	Entry/Office (F109)	Regular	626	6-pin, Schlage C, KD	043156534791
C1000-ENTR-R-613-KDC	Entry/Office (F109)	Regular	613	6-pin, Schlage C, KD	043156534807
C1000-ENTR-R-626-SFIC	Entry/Office (F109)	Regular	626	Less SFIC	043156534814
C1000-ENTR-R-613-SFIC	Entry/Office (F109)	Regular	613	Less SFIC	043156534869
C1000-ENTR-C-626-KDC	Entry/Office (F109)	Curved	626	6-pin, Schlage C, KD	043156534838
C1000-ENTR-C-613-KDC	Entry/Office (F109)	Curved	613	6-pin, Schlage C, KD	043156534845
C1000-ENTR-C-626-SFIC	Entry/Office (F109)	Curved	626	Less SFIC	043156534852
C1000-ENTR-C-613-SFIC	Entry/Office (F109)	Curved	613	Less SFIC	043156534821
C1000-CLRM-R-626-KDC	Classroom (F84)	Regular	626	6-pin, Schlage C, KD	043156534876
C1000-CLRM-R-613-KDC	Classroom (F84)	Regular	613	6-pin, Schlage C, KD	043156534883
C1000-CLRM-R-626-SFIC	Classroom (F84)	Regular	626	Less SFIC	043156534890
C1000-CLRM-R-613-SFIC	Classroom (F84)	Regular	613	Less SFIC	043156534906
C1000-CLRM-C-626-KDC	Classroom (F84)	Curved	626	6-pin, Schlage C, KD	043156534913
C1000-CLRM-C-613-KDC	Classroom (F84)	Curved	613	6-pin, Schlage C, KD	043156534920
C1000-CLRM-C-626-SFIC	Classroom (F84)	Curved	626	Less SFIC	043156534937
C1000-CLRM-C-613-SFIC	Classroom (F84)	Curved	613	Less SFIC	043156534944
C1000-CSEC-R-626-KDC	Classroom Security (F88)	Regular	626	6-pin, Schlage C, KD	043156534951
C1000-CSEC-R-613-KDC	Classroom Security (F88)	Regular	613	6-pin, Schlage C, KD	043156534968

**C1000 Series**  
Grade 1 cylindrical lock

**Locksets**

Product description	Function	Trim	Finish	Cylinder	UPC #
C1000-CSEC-R-626-SFIC	Classroom Security (F88)	Regular	626	Less SFIC	043156534975
C1000-CSEC-R-613-SFIC	Classroom Security (F88)	Regular	613	Less SFIC	043156534982
C1000-CSEC-C-626-KDC	Classroom Security (F88)	Curved	626	6-pin, Schlage C, KD	043156534999
C1000-CSEC-C-613-KDC	Classroom Security (F88)	Curved	613	6-pin, Schlage C, KD	043156535002
C1000-CSEC-C-626-SFIC	Classroom Security (F88)	Curved	626	Less SFIC	043156535019
C1000-CSEC-C-613-SFIC	Classroom Security (F88)	Curved	613	Less SFIC	043156535026
C1000-STRM-R-626-KDC	Storeroom (F86)	Regular	626	6-pin, Schlage C, KD	043156535033
C1000-STRM-R-613-KDC	Storeroom (F86)	Regular	613	6-pin, Schlage C, KD	043156535040
C1000-STRM-R-626-SFIC	Storeroom (F86)	Regular	626	Less SFIC	043156535057
C1000-STRM-R-613-SFIC	Storeroom (F86)	Regular	613	Less SFIC	043156535064
C1000-STRM-C-626-KDC	Storeroom (F86)	Curved	626	6-pin, Schlage C, KD	043156535071
C1000-STRM-C-613-KDC	Storeroom (F86)	Curved	613	6-pin, Schlage C, KD	043156535088
C1000-STRM-C-626-SFIC	Storeroom (F86)	Curved	626	Less SFIC	043156535095
C1000-STRM-C-613-SFIC	Storeroom (F86)	Curved	613	Less SFIC	043156535101

**Designs**



Regular lever



Curved lever

**Finishes**



613



626

**Accessories**

**Latches:** All latches are square corner with 2 3/8" backset, 1" x 2 1/4".

Product description	Function	Latch type	Finish	UPC #
C1000-SL-630	Passage, Privacy	Springlatch	630	043156538034
C1000-DL-630	Entry/Office, Classroom, Classroom Security, Storeroom	Deadlatch	630	043156534920

**Strikes:** Radius corner, full lip strike. 1 3/4" x 2 1/4". 630 finish is standard.

Product description	Function	Finish	UPC #
C1000-RCFLS-626	Radius corner, full lip strike	630	043156538058

# C2000 Series

## Grade 2 cylindrical lock



### Specifications

- Grade 2, UL listed 3 hour
- 1 3/8" to 1 3/4" door range standard
- All functions (except dummy) include 1 1/8" x 2 1/4" square-corner beveled latch with 2 3/4" backset and ANSI 1 1/4" x 4 7/8" curved lip strike (30-148)
- Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodate SFIC to accept 6-pin/7-pin

### Locksets

Product description	Function	Trim	Finish	Cylinder	UPC #
C2000-SDUM-R-626	Single Dummy Trim	Regular	626	N/A	043156535118
C2000-SDUM-R-613	Single Dummy Trim	Regular	613	N/A	043156535125
C2000-SDUM-C-626	Single Dummy Trim	Curved	626	N/A	043156535132
C2000-SDUM-C-613	Single Dummy Trim	Curved	613	N/A	043156535149
C2000-SDUM-B-630	Single Dummy Trim	Ball	630	N/A	043156535156
C2000-SDUM-B-613	Single Dummy Trim	Ball	613	N/A	043156535163
C2000-PASS-R-626	Passage (F75)	Regular	626	N/A	043156535170
C2000-PASS-R-613	Passage (F75)	Regular	613	N/A	043156535187
C2000-PASS-C-626	Passage (F75)	Curved	626	N/A	043156535194
C2000-PASS-C-613	Passage (F75)	Curved	613	N/A	043156535200
C2000-PASS-B-630	Passage (F75)	Ball	630	N/A	043156535217
C2000-PASS-B-613	Passage (F75)	Ball	613	N/A	043156535224
C2000-PRIV-R-626	Privacy (F76)	Regular	626	N/A	043156535231
C2000-PRIV-R-613	Privacy (F76)	Regular	613	N/A	043156535248
C2000-PRIV-C-626	Privacy (F76)	Curved	626	N/A	043156535255
C2000-PRIV-C-613	Privacy (F76)	Curved	613	N/A	043156535262
C2000-PRIV-B-630	Privacy (F76)	Ball	630	N/A	043156535279
C2000-PRIV-B-613	Privacy (F76)	Ball	613	N/A	043156535286
C2000-ENTR-R-626-KDC	Entry/Office (F109)	Regular	626	6-pin, Schlage C, KD	043156535293
C2000-ENTR-R-613-KDC	Entry/Office (F109)	Regular	613	6-pin, Schlage C, KD	043156535309
C2000-ENTR-R-626-SFIC	Entry/Office (F109)	Regular	626	Less SFIC	043156535316
C2000-ENTR-R-613-SFIC	Entry/Office (F109)	Regular	613	Less SFIC	043156535323
C2000-ENTR-C-626-KDC	Entry/Office (F109)	Curved	626	6-pin, Schlage C, KD	043156535330
C2000-ENTR-C-613-KDC	Entry/Office (F109)	Curved	613	6-pin, Schlage C, KD	043156535347
C2000-ENTR-C-626-SFIC	Entry/Office (F109)	Curved	626	Less SFIC	043156535354
C2000-ENTR-C-613-SFIC	Entry/Office (F109)	Curved	613	Less SFIC	043156535361
C2000-ENTR-B-630-KDC	Entry/Office (F109)	Ball	630	6-pin, Schlage C, KD	043156535378
C2000-ENTR-B-613-KDC	Entry/Office (F109)	Ball	613	6-pin, Schlage C, KD	043156535385

**C2000 Series**  
Grade 2 cylindrical lock

**Locksets**

Product description	Function	Trim	Finish	Cylinder	UPC #
C2000-ENTR-B-630-SFIC	Entry/Office (F109)	Ball	630	Less SFIC	043156535392
C2000-ENTR-B-613-SFIC	Entry/Office (F109)	Ball	613	Less SFIC	043156535408
C2000-CLRM-R-626-KDC	Classroom (F84)	Regular	626	6-pin, Schlage C, KD	043156535415
C2000-CLRM-R-613-KDC	Classroom (F84)	Regular	613	6-pin, Schlage C, KD	043156535422
C2000-CLRM-R-626-SFIC	Classroom (F84)	Regular	626	Less SFIC	043156535439
C2000-CLRM-R-613-SFIC	Classroom (F84)	Regular	613	Less SFIC	043156535446
C2000-CLRM-C-626-KDC	Classroom (F84)	Curved	626	6-pin, Schlage C, KD	043156535453
C2000-CLRM-C-613-KDC	Classroom (F84)	Curved	613	6-pin, Schlage C, KD	043156535460
C2000-CLRM-C-626-SFIC	Classroom (F84)	Curved	626	Less SFIC	043156535477
C2000-CLRM-C-613-SFIC	Classroom (F84)	Curved	613	Less SFIC	043156535484
C2000-CLRM-B-630-KDC	Classroom (F84)	Ball	630	6-pin, Schlage C, KD	043156535491
C2000-CLRM-B-613-KDC	Classroom (F84)	Ball	613	6-pin, Schlage C, KD	043156535507
C2000-CLRM-B-630-SFIC	Classroom (F84)	Ball	630	Less SFIC	043156535514
C2000-CLRM-B-613-SFIC	Classroom (F84)	Ball	613	Less SFIC	043156535521
C2000-STRM-R-626-KDC	Storeroom (F86)	Regular	626	6-pin, Schlage C, KD	043156535538
C2000-STRM-R-613-KDC	Storeroom (F86)	Regular	613	6-pin, Schlage C, KD	043156535545
C2000-STRM-R-626-SFIC	Storeroom (F86)	Regular	626	Less SFIC	043156535552
C2000-STRM-R-613-SFIC	Storeroom (F86)	Regular	613	Less SFIC	043156535569
C2000-STRM-C-626-KDC	Storeroom (F86)	Curved	626	6-pin, Schlage C, KD	043156535576
C2000-STRM-C-613-KDC	Storeroom (F86)	Curved	613	6-pin, Schlage C, KD	043156535583
C2000-STRM-C-626-SFIC	Storeroom (F86)	Curved	626	Less SFIC	043156535590
C2000-STRM-C-613-SFIC	Storeroom (F86)	Curved	613	Less SFIC	043156535606
C2000-STRM-B-630-KDC	Storeroom (F86)	Ball	630	6-pin, Schlage C, KD	043156535613
C2000-STRM-B-613-KDC	Storeroom (F86)	Ball	613	6-pin, Schlage C, KD	043156535620
C2000-STRM-B-630-SFIC	Storeroom (F86)	Ball	630	Less SFIC	043156535637
C2000-STRM-B-613-SFIC	Storeroom (F86)	Ball	613	Less SFIC	043156535644

**Designs**



Regular lever



Curved lever



Ball knob


**Finishes**



613



626



630

**C2000 Series**  
**Grade 2 cylindrical lock**

**Accessories**

**Latches:** All latches are square corner with 2 <sup>3</sup>/<sub>8</sub>" backset. 1" x 2 <sup>1</sup>/<sub>4</sub>". 630 finish is standard

<b>Product description</b>	<b>Function</b>	<b>Latch type</b>	<b>Finish</b>	<b>UPC #</b>
C2000-SL-613	Passage, Privacy	Springlatch	613	043156538065
C2000-DL-613	Entry/Office, Classroom, Storeroom	Deadlatch	613	043156538072
C2000-SL-630	Passage, Privacy	Springlatch	630	043156538089
C2000-DL-630	Entry/Office, Classroom, Storeroom	Deadlatch	630	043156538096

**Strikes:** Radius corner, full lip strike. 630 finish is standard.

<b>Product description</b>	<b>Function</b>	<b>Finish</b>	<b>UPC #</b>
C2000-RCFLS-613	Radius corner, full lip strike, 1 <sup>5</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>4</sub> "	613	043156538102
C2000-RCFLS-630	Radius corner, full lip strike, 1 <sup>5</sup> / <sub>8</sub> " x 2 <sup>1</sup> / <sub>4</sub> "	630	043156538119



# DB1000 Series

## Grade 1 deadbolt



### Specifications

- Grade 1, non UL listed 3 hour, 1<sup>3</sup>/<sub>8</sub>" - 1<sup>7</sup>/<sub>8</sub>" standard cylinder door range; 1<sup>5</sup>/<sub>8</sub>" - 2" SFIC door range
- All functions include 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>" universal square corner latch (p/n 30-253), 1<sup>1</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>4</sub>" square corner lipless strike
- Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodates SFIC to accept 6-pin/7-pin

### Deadbolts

Product description	Function	Finish	Cylinder	UPC #
DB1000-SCT-626-KDC	Single Cylinder x Turn	626	6-pin, Schlage C, KD	043156535651
DB1000-SCT-613-KDC	Single Cylinder x Turn	613	6-pin, Schlage C, KD	043156535668
DB1000-SCT-626-SFIC	Single Cylinder x Turn	626	Less SFIC	043156535675
DB1000-SCT-613-SFIC	Single Cylinder x Turn	613	Less SFIC	043156535682
DB1000-DCT-626-KDC	Double Cylinder	626	6-pin, Schlage C, KD	043156535699
DB1000-DCT-613-KDC	Double Cylinder	613	6-pin, Schlage C, KD	043156535705
DB1000-DCT-626-SFIC	Double Cylinder	626	Less SFIC	043156535712
DB1000-DCT-613-SFIC	Double Cylinder	613	Less SFIC	043156535729

### Finishes



613



626

# DB2000 Series

Grade 2 deadbolt



## Specifications

- Grade 2, non UL listed 3 hour, 1<sup>3</sup>/<sub>8</sub>" – 1<sup>3</sup>/<sub>4</sub>" standard cylinder door range; 1<sup>5</sup>/<sub>8</sub>" - 2" SFIC door range
- All functions include 2<sup>3</sup>/<sub>8</sub>" - 2<sup>3</sup>/<sub>4</sub>" universal square corner latch (p/n 30-253), 1<sup>1</sup>/<sub>8</sub>" x 2<sup>3</sup>/<sub>4</sub>" square corner lipless strike
- Schlage C cylinders are 6-pin cylinders keyed 6, keyed different
- Accommodates SFIC to accept 6-pin/7-pin

## Deadbolts

Product description	Function	Finish	Cylinder	UPC #
DB2000-SCT-626-KDC	Single Cylinder x Turn	626	6-pin, Schlage C, KD	043156535736
DB2000-SCT-613-KDC	Single Cylinder x Turn	613	6-pin, Schlage C, KD	043156535743
DB2000-SCT-626-SFIC	Single Cylinder x Turn	626	Less SFIC	043156535750
DB2000-SCT-613-SFIC	Single Cylinder x Turn	613	Less SFIC	043156535767
DB2000-DCT-626-KDC	Double Cylinder	626	6-pin, Schlage C, KD	043156535774
DB2000-DCT-613-KDC	Double Cylinder	613	6-pin, Schlage C, KD	043156535781
DB2000-DCT-626-SFIC	Double Cylinder	626	Less SFIC	043156535798
DB2000-DCT-613-SFIC	Double Cylinder	613	Less SFIC	043156535804

## Finishes





613



626

# Surface door closers



# DCH1000 Series

Heavy duty surface door closers



## Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms), ADA compliant at size 1
- Adjustable spring size 1-6
- 6 3/4" x 2 3/8" mounting hole pattern
- Staked, independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack

## Closers

Product description	Cylinder type	Cover	Arm function	Finish	UPC #
DCH1000-STD-FULL-RW/PA-ALUM	STD	Full	Rw/PA	ALUM	043156535934
DCH1000-STD-FULL-RW/PA-DKBRZ	STD	Full	Rw/PA	DKBRZ	043156535941
DCH1000-STD-FULL-HW/PA-ALUM	STD	Full	Hw/PA	ALUM	043156535958
DCH1000-STD-FULL-DS-ALUM	STD	Full	DS	ALUM	043156535965
DCH1000-STD-FULL-DS/HO-ALUM	STD	Full	DS/HO	ALUM	043156535972

## Arm types


**Regular arm (Rw/PA):** Non-handed, regular arm with adjustable forearm assembly to accommodate a range of doors and frame reveal conditions. Mounts hinge side, top jamb or parallel arm. PA shoe included to allow installation in a parallel arm configuration.

**Hold-open arm (Hw/PA):** Non-handed, hold open arm with adjustable forearm assembly to accommodate a range of doors and frame reveal conditions. Mounts hinge side, top jamb or parallel arm. PA shoe included to allow installation in a parallel arm configuration.


**Dead stop arm (DS):** Non-handed, stamped, heavy duty, parallel arm includes a positive mechanical stop and non-adjustable forearm assembly for high volume traffic or potentially abusive installation conditions.

**Dead stop hold-open arm (DS/HO):** Non-handed, stamped, heavy duty, hold-open parallel arm includes a positive mechanical stop and non-adjustable forearm assembly for high volume traffic or potentially abusive installation conditions. Also includes a manually selective hold open function.

## Finishes



ALUM/689



DKBRZ/695

# DCM1000 Series

## Medium duty surface door closers



### Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms), ADA compliant at size 1
- Adjustable spring size 1-6
- 12" x 3/4" mounting hole pattern
- Staked, independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack

### Closers

Product description	Cylinder type	Cover	Arm function	Finish	UPC #
DCM1000-STD-SLIM-RW/PA-ALUM	STD	Slim	Rw/PA	ALUM	043156535859
DCM1000-STD-SLIM-RW/PA-DKBRZ	STD	Slim	Rw/PA	DKBRZ	043156535866
DCM1000-STD-FULL-RW/PA-ALUM	STD	Full	Rw/PA	ALUM	043156535873
DCM1000-STD-FULL-RW/PA-DKBRZ	STD	Full	Rw/PA	DKBRZ	043156535880
DCM1000-STD-SLIM-HW/PA-ALUM	STD	Slim	Hw/PA	ALUM	043156535897
DCM1000-STD-SLIM-HW/PA-DKBRZ	STD	Slim	Hw/PA	DKBRZ	043156535903
DCM1000-STD-FULL-HW/PA-ALUM	STD	Full	Hw/PA	ALUM	043156535910
DCM1000-STD-FULL-HW/PA-DKBRZ	STD	Full	Hw/PA	DKBRZ	043156535927

### Arm types


**Dead stop arm (DS):** Non-handed, regular arm with adjustable forearm assembly to accommodate a range of doors and frame reveal conditions. Mounts hinge side, top jamb or parallel arm. PA shoe included to allow installation in a parallel arm configuration.

**Hold-open arm (Hw/PA):** Non-handed, hold open arm with adjustable forearm assembly to accommodate a range of doors and frame reveal conditions. Mounts hinge side, top jamb or parallel arm. PA shoe included to allow installation in a parallel arm configuration.

### Finishes



ALUM/689



DKBRZ/695

# DCL2000 Series

## Light duty surface door closers



### Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms), ADA compliant at size 1
- Adjustable spring size 1-6
- 9 1/16" x 3/4" mounting hole pattern
- Independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack

### Closers


Product description	Cylinder type	Cover	Arm function	Finish	UPC #
DCL2000-STD-LESS-RW/PA-ALUM	STD	Less	Rw/PA	ALUM	043156535811
DCL2000-STD-LESS-RW/PA-DKBRZ	STD	Less	Rw/PA	DKBRZ	043156535828
DCL2000-STD-LESS-HW/PA-ALUM	STD	Less	Hw/PA	ALUM	043156535835
DCL2000-STD-FULL-RW/PA-ALUM	STD	Full	Rw/PA	ALUM	043156535842

### Arm types

**Regular arm (Rw/PA):** Non-handed, regular arm with adjustable forearm assembly to accommodate a range of doors and frame reveal conditions. Mounts hinge side, top jamb or parallel arm. PA shoe included to allow installation in a parallel arm configuration.

**Hold-open arm (Hw/PA):** Non-handed, hold open arm with adjustable forearm assembly to accommodate a range of doors and frame reveal conditions. Mounts hinge side, top jamb or parallel arm. PA shoe included to allow installation in a parallel arm configuration.

### Finishes



ALUM/689



DKBRZ/695

# DCR8000 Series

Residential duty surface door closers



## Specifications

- Grade 1, UL / UL 10C Listed (non-hold open arms)  
ADA compliant at size 1, (180 deg - TJ and Pull Side)
- Adjustable spring size 1-4
- 9 1/16" x 3/4" mounting hole pattern
- Independent adjustment values: sweep speed, latch speed, and back-check
- Single piece, cast aluminum body
- Universal hardware pack

## Closers

Product description	Cylinder type	Cover	Arm function	Finish	UPC #
DCR8000-STD-LESS-RW/PA-ALUM	STD	Less	Rw/PA	ALUM	043156536009
DCR8000-STD-LESS-RW/PA-DKBRZ	STD	Less	Rw/PA	DKBRZ	043156536016

## Arm types

**Regular arm (Rw/PA):** Non-handed, regular arm with adjustable forearm assembly to accommodate a range of doors and frame reveal conditions. Mounts hinge side, top jamb or parallel arm. PA shoe included to allow installation in a parallel arm configuration.

## Finishes



ALUM/689



DKBRZ/695

**DCH1000, DCM1000, DCL2000 and DCR8000 Series  
Drop plates**

**Drop plates**

<b>Product description</b>	<b>Plate type</b>	<b>Finish</b>	<b>UPC #</b>
DCH1000P-DP18-ALUM	Pull side/Top jamb	ALUM	043156536108
DCH1000P-DP18-DKBRZ	Pull side/Top jamb	DKBRZ	043156536122
DCH1000P-DP18PA-ALUM	Parallel arm	ALUM	043156536115
DCH1000P-DP18PA-DKBRZ	Parallel arm	DKBRZ	043156536139
DCM1000P-DP18TJ-ALUM	Pull side/Top jamb	ALUM	043156536061
DCM1000P-DP18TJ-DKBRZ	Pull side/Top jamb	DKBRZ	043156536085
DCM1000P-DP18PA-ALUM	Parallel arm	ALUM	043156536078
DCM1000P-DP18PA-DKBRZ	Parallel arm	DKBRZ	043156536092
DCL2000P-DP18TJ-ALUM	Top jamb	ALUM	043156536023
DCL2000P-DP18TJ-DKBRZ	Top jamb	DKBRZ	043156536047
DCL2000P-DP18PA-ALUM	Parallel arm	ALUM	043156536030
DCL2000P-DP18PA-DKBRZ	Parallel arm	DKBRZ	043156536054

Note: DCL2000P drop plates are also compatible with DCR8000 series closers.

**DCH1000 Series**



DCH1000  
Pull side/top jamb



DCH1000  
Parallel arm

**DCM1000 Series**



DCM1000  
Pull side/Top jamb



DCM1000  
Parallel arm

**DCL2000 Series**



DCL2000  
Top jamb



DCL2000  
Parallel arm



# Exit devices



# ED1000 Series

Grade 1 exit devices



## Specifications

- Grade 1, UL listed panic device, UL Listed 3-hour fire device
- Durable, aluminum mechanism case construction
- Deadlatching standard
- Devices fit standard 1 3/4" thick door
- 4 1/4" minimum stile width
- Hex Key Dogging standard on all panic devices
- All devices and trim are non-handed
- Universal hardware pack for wood and hollow metal
- Door widths: 36" device fits 29" to 36" door size; 48" device fits 33" to 48" door size

## ED1000-R Series rim panic device

Product description	Trim function	Device length	Finish	UPC #
ED1000-R-EO-3 FT-US26D	Exit Only	3'	US26D	043156536351
ED1000-R-EO-4 FT-US26D	Exit Only	4'	US26D	043156536368
ED1000-R-EO-3 FT-US32D	Exit Only	3'	US32D	043156536375
ED1000-R-EO-4 FT-US32D	Exit Only	4'	US32D	043156536382
ED1000-R-EO-3 FT-US10B	Exit Only	3'	US10B	043156536399
ED1000-R-EO-4 FT-US10B	Exit Only	4'	US10B	043156536405

## ED1000-R-F Series rim fire exit hardware

Product description	Trim function	Device length	Finish	UPC #
ED1000-R-F-EO-3 FT-US26D	Exit Only	3'	US26D	043156536412
ED1000-R-F-EO-3 FT-US10B	Exit Only	3'	US10B	043156536429

## ED1000-V Series surface vertical rod panic device

Product description	Trim function	Device length	Door height	Finish	UPC #
ED1000-V-EO-3 FT-7'DH-US26D	Exit Only	3'	7'	US26D	043156536436
ED1000-V-EO-3 FT-7'DH-US10B	Exit Only	3'	7'	US10B	043156536443


**ED1000 Series**  
**Trim and accessories**

**Trim**

Product description	Function	Cylinder	Finish	UPC #
ED1000T-CLRM-R-ESC-NC-US26D	Escutcheon lever - Classroom	NC (requires mortise <sup>1</sup> )	US26D	043156536450
ED1000T-CLRM-R-ESC-NC-US10B	Escutcheon lever - Classroom	NC (requires mortise <sup>1</sup> )	US10B	043156536467
ED1000T-NL-R-ESC-NC-US26D	Escutcheon lever - Night latch	NC (requires rim)	US26D	043156536474
ED1000T-NL-R-ESC-NC-US10B	Escutcheon lever - Night latch	NC (requires rim)	US10B	043156536481
ED1000T-PASS-R-ESC-US26D	Escutcheon lever - Passage blank escutcheon	-	US26D	043156536498
ED1000T-PASS-R-ESC-US10B	Escutcheon lever - Passage blank escutcheon	-	US10B	043156536504
ED1000T-CLRM-TP-NC-US26D	Thumbpiece pull plate - Classroom	NC (requires mortise <sup>1</sup> )	US26D	043156536511
ED1000T-CLRM-TP-NC-US10B	Thumbpiece pull plate - Classroom	NC (requires mortise <sup>1</sup> )	US10B	043156536528
ED1000T-NL-HPUL-NC-US26D	Handle pull plate - Night latch	NC (requires rim)	US26D	043156536535
ED1000T-NL-HPUL-NC-US10B	Handle pull plate - Night latch	NC (requires rim)	US10B	043156536542

NC = No cylinder included

<sup>1</sup> Mortise cylinder with standard cam similar to Schlage B502-191 cam



**Finishes**



**Extension rods**

Product description	Length	Finish	UPC #
ED1000-EXTRD-US26D	12"	US26D	043156538256
ED1000-EXTRD-US10B	12"	US10B	043156538249

# ED2000 Series

Grade 2 exit devices



## Specifications

- Grade 2, UL listed panic device, UL Listed 3-hour fire rim device
- Durable, steel mechanism case construction
- Deadlatching standard
- Devices fit standard 1 3/4" thick door
- 3 1/2" minimum stile width
- Hex Key Dogging standard on all panic devices
- Rim devices and trim are non-handed; Surface vertical devices easily field reversible
- Universal hardware pack for wood and hollow metal
- Door widths: 36" device fits 29" to 36" door size; 48" device fits 33" to 48" door size

### ED2000-R Series Rim Panic Device

Product description	Trim function	Device length	Finish	UPC #
ED2000-R-EO-3 FT-SP28	Exit Only	3'	SP28	043156536146
ED2000-R-EO-4 FT-SP28	Exit Only	4'	SP28	043156536153
ED2000-R-EO-3 FT-SP313	Exit Only	3'	SP313	043156536160
ED2000-R-EO-4 FT-SP313	Exit Only	4'	SP313	043156536177

### ED2000-R-F Series Rim Fire Exit Device

Product description	Trim function	Device length	Finish	UPC #
ED2000-R-F-EO-3 FT-SP28	Exit Only	3'	SP28	043156536184
ED2000-R-F-EO-3 FT-SP313	Exit Only	3'	SP313	043156536191

### ED2000-V Series Surface Vertical Rod Panic Device

Product description	Trim function	Device length	Door height	Finish	UPC #
ED2000-V-EO-3 FT-7'DH-SP28	Exit Only	3'	7'	SP28	043156536207
ED2000-V-EO-3 FT-7'DH-SP313	Exit Only	3'	7'	SP313	043156536221

**ED2000 Series**  
**Trim and accessories**

**Trim**

Product description	Function	Cylinder	Finish	UPC #
ED2000T-CLRM-R-ESC-NC-SP28	Escutcheon lever - Classroom	NC (requires mortise <sup>1</sup> )	SP28	043156536238
ED2000T-CLRM-R-ESC-NC-SP313	Escutcheon lever - Classroom	NC (requires mortise <sup>1</sup> )	SP313	043156536245
ED2000T-NL-R-ESC-NC-SP28	Escutcheon lever - Night latch	NC (requires mortise <sup>1</sup> )	SP28	043156536252
ED2000T-NL-R-ESC-NC-SP313	Escutcheon lever - Night latch	NC (requires mortise <sup>1</sup> )	SP313	043156536269
ED2000T-NL-PULL-NC-SP28	Raised lip pull plate - Night latch	NC (requires rim)	SP28	043156536597
ED2000T-NL-PULL-NC-SP313	Raised lip pull plate - Night latch	NC (requires rim)	SP313	043156536603
ED2000T-DUM-PULL-SP28	Raised lip pull plate - Dummy	-	SP28	043156536276
ED2000T-DUM-PULL-SP313	Raised lip pull plate - Dummy	-	SP313	043156536283
ED2000T-CLRM-R-KDC-SP28	Key in lever round rose - Classroom	KDC	SP28	043156536559
ED2000T-CLRM-R-KDC-SP313	Key in lever round rose - Classroom	KDC	SP313	043156536290
ED2000T-NL-R-KDC-SP28	Key in lever round rose - Night latch	KDC	SP28	043156536566
ED2000T-NL-R-KDC-SP313	Key in lever round rose - Night latch	KDC	SP313	043156536306
ED2000T-CLRM-R-SFIC-SP28	Key in lever round rose - Classroom	Less SFIC	SP28	043156536573
ED2000T-NL-R-SFIC-SP28	Key in lever round rose - Night latch	Less SFIC	SP28	043156536580
ED2000T-NL-PULL-ESC-NC-SP28	Handle pull plate - Night latch	NC (requires rim)	SP28	043156536313
ED2000T-NL-PULL-ESC-NC-SP313	Handle pull plate - Night latch	NC (requires rim)	SP313	043156536320
ED2000T-DUM-PULL-ESC-SP28	Handle pull plate - Dummy	-	SP28	043156536337
ED2000T-DUM-PULL-ESC-SP28	Handle pull plate - Dummy	-	SP313	043156536344

NC = No cylinder included

KDC = KIL cylinder, Schlage C Keyway, Keyed differently

<sup>1</sup> Mortise cylinder with standard cam similar to Schlage B502-191 cam



Escutcheon lever -  
Classroom/  
Night latch



Raised lip  
pull plate -  
Night latch



Raised lip  
pull plate -  
Dummy



Key in lever round  
rose - Classroom/  
Night latch  
Less SFIC not shown



Handle  
pull plate -  
Night latch



Handle  
pull plate -  
Dummy

**Finishes**



SP28



SP313

**Extension rods**

Product description	Length	Finish	UPC #
ED2000-EXTRD-SP28	12"	SP28	043156538263
ED2000-EXTRD-SP313	12"	SP313	043156538270





**A K R O N   H A R D W A R E™**

**1100 Killian Road ▲ Akron OH ▲ 44312**

**800-321-9602      [www.akronhardware.com](http://www.akronhardware.com)**

## About Allegion

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit [www.allegion.com](http://www.allegion.com)